### MISSISSIPPI STATE DEPARTMENT OF HEALTH2014 JUNE -2 REP 9: 03 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION

Beat II Greene County Water System, Inc.

Public Water Supply Name

MS0210001 & MS0210011

List PWS ID#s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)

Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Émail the message to the address below) Date(s) customers were informed: \_\_/ / , / / , / / CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used Date Mailed/Distributed: / / CCR was distributed by Email (MUST Email MSDH a copy)

As a URL (Provide URL

Date Emailed: / / As a URL (Provide URL As an attachment As text within the body of the email message CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) Name of Newspaper: Date Published: / / CCR was posted in public places. (Attach list of locations)

Date Posted:\_\_\_ / / CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED): www. beat3 gc water. Com

**CERTIFICATION** 

I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Name Title (President, Mayor, Owner etc.)


5-29-2014

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

### 2013 Annual Drinking Water Quality Report Beat III Greene County Water System, Inc. PWS#: 0210001 & 0210011 May 2014



We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Beat III Greene County Water System, Inc. have received a lower to moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Douglas H. Walley at 601-989-2850. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each month at 7:00 PM at the water office Sand Hill.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013 the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (	ppb) or Micro	ograms per lit	er - one part <sub>l</sub>	per billion correspond	ds to one minu	te in 2,00	00 years,	or a single penny in \$10,000,000.
PWS ID#	: 02100	01		TEST-RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or of Samples Exceedir MCL/ACL		MCLO	MCL	Likely Source of Contamination
Inorganio	Contai	minants						
10. Barium	N	2011*	.022	No Range	ppm		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2011*	1.52	No Range	ppm		4	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2011*	1	0	ppb		0 AL=	Corrosion of household plumbing systems, erosion of natural deposits
Disinfecti	on By-P	Products	}					
Chlorine	N	2013	.70	.7080	mg/l	0	MDRL = 4	Water additive used to control microbes
PWS ID#	: 02100	11		TEST RESI	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or of Samples Exceedin MCL/ACL		MCL	G M	CL Likely Source of Contamination

Inorganic	Cont	aminants							
10. Barium	N	2011*	.018	.016018	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011*	1.47	No Range	ppb		100	1	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11*	.5	0	ppm		1.3	AL=1	.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	1.84	1.83 – 1.84	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11*	1	0	ppb		0	AL≖	15 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n By	-Product	S						
81. HAA5	N	2012*	8	No Range	ppb	0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2012*	12.01	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2013	.7	.49	mg/l	0	MDF	RL. ≃ 4	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2013.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the BEAT III W/A #1-SAND HILL is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 92%.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the BEAT III W/A #3-JONATHAN is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 8. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 67%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Beat III Greene County Water System, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2819年1日2日 日 9:39

# TOWN OF LEAKESVILLE

## 2013 Water Quality Report

## need to take special

Where doos my
water come from?
The form of Leakers/lie craws its in
weter from 5. Deep Wels in the
Moscone Series Aquiter.

## ucce water assessment d its availability he Town of Leakeville's Source the Sassassment is available for no# at the Leakeville's Town Hall.

ler Conservation Tips

Op Var vorw Harb alverage ILS,

Stroke Control and Control and Control

Stroke Control and Control

Stroke Control

Str Pake short showers - 8 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a 

ut of water while brushing your h. washing your hale and shaving save up to 500 gallows a month, as a water-editions showerhead. Yie herporasive, easy to Install, can save you up to 750 gallons.

your dothes washer and dish-ar only when they are full, You lave up to 1,000 gallons a

\*\*\* 1910. It defines when Cook are not considered from the Cook ar

we do can skill come from gas statements them seeminester mode, and statements mode, and statements mode, and statements which with can be manyly occur, and, which can be manyly occur, and control of oil sudgest reported to the many seeminester. He was a safety and the seeminester with the seeminester of statements and limit he amount of carolin door mindrates. He can state of the seeminester of the seeminester, food and though sudden seems.

w can I got involved?

The Town of Losiesville's Hayor of Board of Kebran meet the first setup of each morn's at 200 PM.

The Town of the Committee of the Comm

sery.

Bozer, Radiant, heater (water a sery.

alexs not included).

Inderground tawn sorthber system

Inderground tawn sorthber system

and or hos lab (whirthpool tubs not a sery.) nal source(s) of water on the

Description of Water
Township or State of Pitterion
You was a case of Pitterion
and Goldmann Flatters or Secure
and State of Pitterion
and State of Pitterion
and Paridons cycles Acade day
and Paridons cycles Acade day
and Paridons cycles and and Pitterion
and Paridons cycles and and Pitterion
and Paridons Coale and and Pitterion
and Paridons Coale and Acade day
and Paridons and Pitterion
and Pit

Courte Water
Protection Tips
Protection of draking water
Provincing is responsibility. You cold protect your community stringly protect your community string water source in serveral ways:

## Ekminato excoss use of tawn gardon forticors and posticido they contain hazardous chemis that can reach your drinking w

urbo, to after your pets.
Pick up after your pets.
If you have your own sordic syst it, sorportly maintain your system roduce feadring to water source consider connecting to a publi

a system. Dispose of chemicals property bused motor of to a recycle

alter plants only when necessary.

The early tolders and futuority.

The early tolders and futuority.

The only a few minutes to replace,

The only a few minutes to replace,

The only a few minutes to replace,

The only a few minutes to replace and

The only a few minutes to replace

The only a few minutes to replace and

The only a few minutes and

The only a few

especially for proposal version is set to units. Eth prosobos regulaStage requires the size of device 
where is promptly from resprised as devicement in the smooth of the 
respect is promptly from resprised as devicement in the smooth of the 
respect is promptly from resprised as devicement in the smooth of the 
respect to the size of the 
respect to the 
respec

Water additive used to contre merobes	2	0.9 2.19 2013	2.19	0.9	1.3	4	4	1
of evidence that addition of a distinfectant is necessary for control of twicrobial continuinants).	or control o	ocessary fo	n si isa	stnfee	a of a	Caddrao	dence the	5
					ş	Preduc	isiafectant By-Products	3
Typical Source	Violation		High	1,04	Faler	MRDI	MRDLG MRDL Water Low High Date	
		Sample	Range	~2	ron	П,от	b	
				_		Ž,	MCLG MCL	
								i
E-Wail, jeffbynd1@ids.net		rom testing done in the calendar year of the report. The EPA or the	5 E	88	20년 10일 08년 10일		e that tap water is	t,
Fax: 501-354-2414		the data presented in this table :s	ieg in	prese	85.5			
Phone: 601-394-2383		low levels. Unless otherwise noted,	as other	S. Cale	yr level		v/safewater/lead.	W/Sal
Address: 301-A LAFAYETTE AVE		any mixture includes or others					Water Hoffing or 20	1
Contact Name; JEFF BYRD		urally occurring minerals may actu-	minera	Di Lind	irally oo		os you can take to	8
Constitution of the consti		protection of public health. A few nat-	bec hea	200	rotection		ing water, tosting	ğ
3		extremely expensive, and in most	nsive.	ž	XIVETON S		c, you may wen to lested, information	
. The		moving all contaminants would be	lamicar	8	Blunco		e concerned about	8
have provided the defailions ball		not harmful in our drinking water. Re-	ar drinks	S S S	to harm		let for delaking or	fer fe
not be familiar to you. To help y		occurring contaminants, At low low-	minant	87.5	Control		positive by intering conds to 2 minutes	18
terms and abbreviations that mis		difficing water centain some naturally	artein S	S C	nenga n		or matemage the po-	Ë
year old. In this table you will fe	-	found in your water. All sources of	rater. A	ž	ound in		een sitting for sov-	ş
resentative may be more than o		Shose substances listed below were	es liste	estand	hose sul		components. When	8
Soft, some of our data though in		more contaminants were lested, poly	KIS WE	dimen	nore con		variety of managatis	Š
system is not nonsidential continues		motives defected richmo the columnia	S rivierno	5			Children water ber	1
nifeantly from year to year, or t		all of the drinking water contaminants	waler	denkin	o de		CNCOL COOR	ļ
Phose contemporals do not year a		water systems. The table below lists	The G	Rems	vater sy		cialed with service	g S
year because the concentrations		tarrinants in water provided by public	Se prov		aminant.		more treated and	

					_		
		Ε,04	Your	Penge	95		
Lengarduants	MKDLC MRDL	MRDL	휆	Low High	Date	iolation .	Typical Source
Disinfects ats & Disinfectant By Products	afectant B	Produc	\$				
There is commercing	eridence (h	of addrise	n of a dis	infectant is n	constany	for control o	There is constructing evidence that addition of a distribectant is necessary for control of microbial continuants)
Chlorine (as CI2) ppm)	4	4	1.3	0.9 2.19	2013	ş	Water additive used to contre microbes
norganic Contaminanti	THE PERSON						Control of the Contro
Nitrase (measured as Nitragen) (ppm)	82	92	0.22	0.17 6.22	2013	ž	Runoff from fertilities use; Leaching from septic tanks, sewage; Erosion of natural deposits
Vitrite [measured as Vitrogen] (ppm)	~	-	0.02	0.02 0.62	i i	ž	Runoff from Sertilizer use, Leaching from septic unks, sewage, Eroson of natural deposits
Onit Descriptions			200	200	3		
Term	Œ.					Definition	
tuded	æ			spin: parts	per millio	e, or miling	opm: parts per miltion, or militarrams toor liter (192/L)
AN.	4				Ž	NA. not applicable	sblc
£	0				SZ.	ND: Not detected	pal
NR	~			NR: Mor	ultorreg ex	of required,	NR: Monitoring not required, but recongressed,
Important Drinking Water Definitions	WaterDe	Birlops	83	10 mm 8 mm			
Term	8					Definition	
MCLG	2		MCLG: in dri	Maximum C aking water b acalit,	ontarinma clow whi MCLGs	nt Level Ge ch there is r Illow for a	MCLG: Maximum Contaminant Level Goal: The level of a contaminan in drinking water below, which there is no known or expected risk to health, IACLGs allow for a margin of safex.
MCL	н		MCL. A that is al	faximum Collowed in driv feasible asia	Marringat Sking water 1g the bes	Level: The r. MCLs m r available t	MCL: Maximum Contaminant Level: The highest level of a contaminar that is allowed in drinking water. MCLs are set as close to the MCLGs a feasible noting the best available treatment technology.
Ħ			11.1	reatment Tec	haique: A	required pa	TP. Treatment Technique: A required process intended to reduce the ideal of a contaminant in chinking warre
14			AL	Action Leve d. triggers tre	The cor	recontration of worker requirements follow	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system cannot follow
Variances and Exemptions	Exemption		Variance	s and Exemp	tions Sta	to or EPA p	Variances and Exemptions: State or EPA permission vot to meet an MC or a treatment technique under certain conditions
MRDLG	ន្ទ		Grinkin risk	LG: Maxima g water distra to bealth, M disinfect	m residua fectant bel RDLGs de	l disinfection ow which to not reflect trol energy	MRDLG: Maximum residual dismitication level goal. The level of a finishing water distriction below width there is no known or expected risk to health. MRDLGs do not refect the benealts of the use of dishiftednass in pointed intercebal communication.
אצטד	7.		MRDi disinfect ade	L: Maximum an allowed i lition of a dis	residual o a drinking anfectant	I disinfectant ng water. The n is necessary	MRDL: Maximum resolval disinfectual level. The highest level of a disinfectual allowed in dividing water. There is convincing evidence the addition of a disinfectual is accessary for control of microbial constantians.
MAR	æ			^	NR. Mon	MNR. Monitored Not Regulated	Requisted
, mark		ľ		TOT LEAVE			